



ABSTRACT

Director of Public Health and Preventive Medicine - Establishment of Two Water Analysis Laboratory at Tiruchirapalli and Tirunelveli Sanctioned – Further Continuance to the filled up posts - Orders – Issued.

HEALTH AND FAMILY WELFARE (AB2) DEPARTMENT

G.O (Rt) No.768

Dated:26.06.2015
Thiruvalluvar Aandu: 2046
மன்மத, ஆனி - 11

Read:-

1. G.O (Ms) No. 14, Health and Family Welfare Department, dated 21.01.2014.
2. Director of Public Health and Preventive Medicine letter No. 30775/சொ.நோ/இரு.5/2014, dated 25.01.2015 and 29.03.2015.

ORDER:-

In the Government Order first cited, the Government have accorded sanction for creation in various categories of 50 posts to Laboratory wing and 18 posts to Administrative wing of two water Analysis Laboratories at Tiruchirapalli and Tirunelveli temporarily for a period of one year from the date of filling up of the post or till the recurring ceases whichever is earlier.

2. The Director of Public Health and Preventive Medicine has reported that among the total number of 68 posts sanctioned, 32 posts as mentioned in the annexure to this order has been filled up and requested the Government to issue continuance orders to those posts.

3. The Government after careful examination have decided to accept the proposal of the Director of Public Health and Preventive Medicine. Accordingly sanction is accorded for further continuance for the 32 temporary posts sanctioned to the Laboratory wing and Administrative wing of Tiruchirapalli and Tirunelveli water Analysis Laboratories mentioned in the annexure I&II to this order for a further period from 21.01.2015 to 31.12.2016.

4. The holders of the posts are eligible to draw in addition to pay, Dearness Allowance, House Rent Allowance and other allowances admissible under orders in force from time to time as shown in the annexure of this order.

5. This order issues with the concurrence of Finance Department, with its U.O.No.34635/Health-I/2015, dated 23.06.2015.

(BY ORDER OF THE GOVERNOR)

J. RADHAKRISHNAN,
SECRETARY TO GOVERN

To

The Director of Public Health and Preventive Medicine, Chennai-6.

The Accountant General, Chennai-18.

The Pay and Accounts Officer (South), Chennai-35.

Treasury Officer, Tiruchirapalli / Tirunelveli.

Copy to:

The Finance (/Health-I), Department, Chennai-9.

✓ The Health and Family Welfare (Data Cell) Department, Chennai-9.

Stock File/Spare Copy

//FORWARDED BY ORDER//

31/7/15
SECTION OFFICER

31/7/15

Annexure-I

Details of Temporary Post in Water Analytical Laboratories Tiruchirapalli G.O.(Rt) No.768, Health and Family Welfare (AB2) Department, dated 26.06.2015

Laboratory wing:

Sl. No	Name of the Post.	Pay Band	Scale of Pay Rs.	Grade Pay Rs.	Number of Posts for two labs sanction	No.of Posts in position (filled up)	Government Order in Originally Sanctioned	Government Order in which lastly continued	Head of Account
1.	Chief Water Analyst.	PB3	15600-39100	7600	1	1	G.O.(Ms) No. 14 Health and Family Welfare (AB2) Department, dated 21.01.2014	Nil	2215-Water Supply and Sanitation-02-Sewerage and Sanitation-106-Prevention of Air and water Pollution-I-Non-Plan-AA Water Analysis Laboratories-01 Salaries (DPC 2215-02-106-AA-0109)
2.	Assistant Water Analyst.	PB3	15600-39100	5400	2	0			
3.	Micro Biologist	PB3	15600-39100	5400	1	0			
4.	Junior Water Analyst.	PB2	9300-34800	4600	5	5			
5.	Health Inspector Grade-I	PB2	9300-34800	4200	4	3			
6.	Lab Technician Grade- I.	PB1	5200-20200	2800	3	0			
7.	Lab Technician Grade II.	PB1	5200-20200	2400	4	0			
8.	Lab Peon.	PB1A	4800-10000	1300	3	0			
9.	Packer	PB1A	4800-10000	1300	1	0			
10.	Watchman	Outsourcing			1	1			
	Total				25	10			

(PTO)

Administrative wing:

Sl. No	Name of the Post.	Pay Band	Scale of Pay Rs.	Grade Pay Rs.	Number of Post for two labs	No. of Posts in position	Government Order in Originally Sanctioned	Government Order in which lastly continued	Head of Account
1	Superintendent	PB2	9300-34800	4800	1	1	G.O.(Ms) No. 14 Health and Family Welfare (AB2) Department, dated 21.01.2014	Nil	2215-Water Supply and Sanitation-02-Sewerage and Sanitation-106-Prevention of Air and water Pollution-I-Non-Plan-AA Water Analysis Laboratories-01 Salaries (DPC 2215-02-106-AA-0109)
2	Assistant	PB1	5200-20200	2800	1	1			
3	Junior Assistant	PB1	5200-20200	2400	2	2			
4	Typist	PB1	5200-20200	2400	1	1			
5	Record Clerk	PB1A	4800-10000	1650	1	0			
6	Office Assistant.	PB1A	4800-10000	1300	2	0			
7	Sweeper (out source)	Outsourcing			1	1			
					9	6			

J. RADHAKRISHNAN
SECRETARY TO GOVERNMENT

// TRUE COPY //

3/2/15
SECTION OFFICER
3/2/15

Annexure-II

Details of Temporary Post in Water Analytical Laboratories Tiruvelveli G.O.(Rt) No.768, Health and Family Welfare
(AB2) Department, dated 26.06.2015

Laboratory wing:

Sl. No	Name of the Post. Lab Wing:	Pay Band	Scale of Pay Rs.	Grade Pay Rs.	Number of Post for two labs sanctioned	No.of Posts in position (filled up)	Government Order in Originally Sanctioned	Government Order in which lastly continued	Head of Account
1.	Chief Water Analyst.	PB3	15600-39100	7600	1	1	G.O.(Ms) No. 14 Health and Family Welfare (AB2) Department, dated 21.01.2014	Nil	2215-Water Supply and Sanitation-02-Sewerage and Sanitation-106-Prevention of Air and water Polution-i-Non-Plan-AA Water Analysis Laboratories-01 Salaries (DPC2215-02-106-AA-0109)
2.	Assistant Water Analyst.	PB3	15600-39100	5400	2	0			
3.	Micro Biologist	PB3	15600-39100	5400	1	0			
4.	Junior Water Analyst.	PB2	9300-34800	4600	5	5			
5.	Health Inspector Grade-I	PB2	9300-34800	4200	4	4			
6.	Lab Technician Grade- I.	PB1	5200-20200	2800	3	0			
7.	Lab Technician Grade II.	PB1	5200-20200	2400	4	1			
8.	Lab Peon.	PB1A	4800-10000	1300	3	0			
9.	Packer	PB1A	4800-10000	1300	1	0			
10.	Watchman	Outsourcing			1	0			
	Total				25	11			

(PTO)

Administrative wing:

Sl. No	Name of the Post.	Pay Band	Scale of Pay Rs.	Grade Pay Rs.	Number of Post for two labs	No. of Posts in position	Government Order in Originally Sanctioned	Government Order in which lastly continued	Head of Account
1	Superintendent	PB2	9300-34800	4800	1	1	G.O.(Ms) No. 14 Health and Family Welfare (AB2) Department, dated 21.01.2014	Nil	2215-Water Supply and Sanitation-02-Sewerage and Sanitation-106-Prevention of Air and water Polution-I-Non-Plan-AA Water Analysis Laboratories-01 Salaries (DPC:2215-02-106-AA-0109)
2	Assistant	PB1	5200-20200	2800	1	1			
3	Junior Assistant	PB1	5200-20200	2400	2	2			
4	Typist	PB1	5200-20200	2400	1	1			
5	Record Clerk	PB1A	4800-10000	1650	1	0			
6	Office Assistant.	PB1A	4800-10000	1300	2	0			
7	Sweeper (out source)	Outsourcing			1	0			
					9	5			

J. RADHAKRISHNAN
SECRETARY TO GOVERNMENT

// TRUE COPY //

[Signature]
SECTION OFFICER
[Signature]
31/7/15